Overhead Storage (for Panel Systems)

		1	
Warranty Information (Items in the followin	ig catalogue are notated with "Limited Lifetim	e " or "Limited Lifetime " warran	ty. Please see below for each warranty's scope.)

warrancy million	initiation (items in the following catalogue are notated with Elinited Electrice of Elinited Electrice we	arrancy. r icase se	c below for each warranty's scoper
Limited	The HON Company promises to repair or replace any HON Brand product or component that is	Limited	Global warrants all components of metal storage and filing, laminate/wood veneer desks and modular
Lifetime ¹	defective in material or workmanship for as long as the original purchaser owns it. This warranty	Lifetime ²	furniture, laminate/wood veneer boardroom, conference and training tables, general commercial
	applies to products manufactured after January 1, 2011 and is subject to limitations and exclusions as		seating (use time for warranty coverage is 8 hours/5 days per week), metal leg components and panels
	listed below.		for the lifetime of the product to the original puchaser. This warranty is subject to limitations and
			exclusions as listed below.
Limitations:		Limitations:	
The particular p	product lines, materials, and components listed below are covered under	The specific proc	lucts below are covered under Global's 5-year and 1-year
HON's 12-year,	10-year, and 5-year Warranties (from date of purchase).	Warranties (from	n the date of purchase).
HON's 12-year	Wood Seating, Accessories (Lock Core Kit and Keys are excluded), Electrical Components (Lamps and	Global's 12-year	Heavy Duty Seating, Control Mechanisms (Use time for warranty coverage is 24 hours/7 days per week)
Warranty	Ballasts are excluded.)	Warranty	
HON's 10-year	Laminate Surfaces, Seating Controls	Global's 10-year	Light Use Seating (Use time for warranty coverage is 8 hours/5 days per week.
Warranty		Warranty	
HON's 5-year	Glides, Casters and Polymer-based Components, Stacking chairs, Folding chairs, ETA Storage Cabinets,	Global's 5-year	Tackboard/Seating/Panel Textiles, Foam, Mesh, Electrical Devices, Task Lights,
Warranty	Panel and Seating Upholstery Fabrics, Foam, Veneer Finishes and Other Covering Materials	Warranty	Adjustable Keyboard Mechanisms, Coat Racks and Lecterns
Exclusions:		Exclusions:	
The warranties	above do not apply and no other warranty applies to:	The warranties a	bove do not apply and no other warranty applies to:
• All HON basys	x series products (these products are covered by a different warranty).	• Failures due to	wear and tear.
Color-fastness	s or matching of colors, woodgrains, or textures occurring in wood, leather, or other materials that	 Color-fastness 	or the matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching
naturally exhibi	it inherent color variations.	of textiles.	
 Customer's ov 	wn materials selected by and used at the request of the user.	 Failures which 	result from negligence, abuse, accident or misuse.
 Normal wear 	and tear, which are to be expected over the course of ownership.	 Failure to apply 	y, install or maintain products according to Global's written instructions and warnings.
 Damage cause 	ed by the carrier in-transit, which will be handled under separate terms.	 Modifications, 	attachments or repair methods not approved by Global.
 Modifications 	s or attachments to the product that are not approved by The HON Company.	 Damage cause 	d by a carrier in-transit or delivery/installation contractors.
 Products that 	t were not installed, used or maintained in accordance with product instructions and warnings.	Damage from	exposure to extreme hot or cold temperatures or excessively dry or humid environments.
 Products used 	d for rental purposes.	 Damage by ma 	rkings or staining; damage by sharp objects or imprinting from instruments.
		 Products used 	for rental purposes.

Standards and Certifications Legends (Items in the following catalogue may include the following certifications. Please see below for descriptions.)

BIFMA Product meets BIFMA (Business and Institutional Furniture Manufacturers Association) standards.

Generation Product is in compliance with stringent emission emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials.

(Product meets specific indoor air quality standards developed by SCS (Scientific Certification Systems).

Product meets ISTA (International Safe Transit Association) standards.

Laminate Finishes and Paint Colors

Choosing a standard finish and color helps USF to promote a sustainable environment because it allows other divisions of the university to reuse the old furniture of departments purchasing a new set of furniture. Hence, USF encourages the use of Avant Honey as the standard laminate finish and Putty as the standard metal paint color to promote environmental sustainability and furniture reusability. See www.usfca.edu/purchasing/furniture /finishes. For further assistance, contact Purchasing Services at 415-422-5898 or send an email to purchasing@usfca.edu

Estimated Lead Times for Quickship and Standard Items

Estimated lead time for quickship items is approximately 2 weeks, from the date of PO acceptance by the manufacturer. Estimated lead time for standard items is approximately 4-6 weeks, from the date of PO acceptance by the manufacturer. Lead times will differ if special fabric (i.e. TB133 compliant) is needed.

		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
	Metal Overhead Storage for Panel Systems							
		HON	Limited Lifetime ¹	HNOH30FD Initiate Series, Overhead Storage Cabinet with Square Flipper Door, Material: Metal, Color: Putty	30"w x 14-3/8"d x 15"h	\$503.44	\$251.72	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
<u>d Items</u>		HON	Limited Lifetime ¹	HNOH36FD Initiate Series, Overhead Storage Cabinet with Square Flipper Door, Material: Metal, Color: Putty	36"w x 14-3/8"d x 15"h	\$527.80	\$263.90	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
<u>Standard</u>		HON	Limited Lifetime ¹	HNOH42FD Initiate Series, Overhead Storage Cabinet with Square Flipper Door, Material: Metal, Color: Putty	42"w x 14-3/8"d x 15"h	\$553.32	\$276.66	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
-		HON	Limited Lifetime ¹	HNOH48FD Initiate Series, Overhead Storage Cabinet with Square Flipper Door, Material: Metal, Color: Putty	48"w x 14-3/8"d x 15"h	\$577.68	\$288.84	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
	HNOH30FD, HNOH36FD, HNOH42FD, HNOH48 cabinet with 2 doors. Accepts under cabinet ligh			ecification: Includes a factory installed core remo be ordered separately.	vable lock located on the u	inderside of	the cabinet	. 60" units are one piece

		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
	RIEMA Wisconson Wisc	HON	Limited Lifetime ¹	HNOH60FD Initiate Series, Overhead Storage Cabinet with Square Flipper Door, Material: Metal, Color: Putty	60"w x 14-3/8"d x 15"h	\$763.28	\$381.64	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
			-	pecification: Includes a factory installed core remo	wable lock located on the u	underside of	the cabinet	. 60" units are one piece
Standard Items	cabinet with 2 doors. Accepts under cabinet ligh	HON	Limited Lifetime ¹	HNOH1530RM Initiate Series, Overhead Storage Cabinet with Recessed Door, Material: Metal, Color: Putty	30"w x 14-3/8"d x 15"h	\$641.48	\$320.74	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
Standa		HON	Limited Lifetime ¹	HNOH1536RM Initiate Series, Overhead Storage Cabinet with Recessed Door, Material: Metal, Color: Putty	36"w x 14-3/8"d x 15"h	\$676.28	\$338.14	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
		HON	Limited Lifetime ¹	HNOH1542RM Initiate Series, Overhead Storage Cabinet with Recessed Door, Material: Metal, Color: Putty	42"w x 14-3/8"d x 15"h	\$719.20	\$359.60	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
	HNOH1530RM, HNOH1536RM, HNOH1542RM, are one piece cabinet with 2 doors. Accepts un			RM Technical Specification: Includes a factory ins like cores must be ordered separately.	stalled core removable lock	located on	the undersio	de of the cabinet. 60" units

		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
		HON	Limited Lifetime ¹	HNOH1548RM Initiate Series, Overhead Storage Cabinet with Recessed Door, Material: Metal, Color: Putty	48"w x 14-3/8"d x 15"h	\$778.36	\$389.18	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
ard Items		HON	Limited Lifetime ¹	HNOH1560RM Initiate Series, Overhead Storage Cabinet with Recessed Door, Material: Metal, Color: Putty	60"w x 14-3/8"d x 15"h		\$589.86	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
σ	HNOH1530RM, HNOH1536RM, HNOH1542RM, are one piece cabinet with 2 doors. Accepts und			RM Technical Specification: Includes a factory ins like cores must be ordered separately.	stalled core removable lock	located on	the undersio	le of the cabinet. 60" units
Stan		HON	Limited Lifetime ¹	HNSH30 Initiate Series, Open Shelf with Square Ends, Material: Metal, Color: Putty	30"w x 14-3/8"d x 5- 5/8"h	\$228.52	\$114.26	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
		HON	Limited Lifetime ¹	HNSH36 Initiate Series, Open Shelf with Square Ends, Material: Metal, Color: Putty	36"w x 14-3/8"d x 5- 5/8"h	\$243.60	\$121.80	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).

		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
		HON	Limited Lifetime ¹	HNSH42 Initiate Series, Open Shelf with Square Ends, Material: Metal, Color: Putty	42"w x 14-3/8"d x 5- 5/8"h	\$251.72	\$125.86	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
		HON	Limited Lifetime ¹	HNSH48 Initiate Series, Open Shelf with Square Ends, Material: Metal, Color: Putty	48"w x 14-3/8"d x 5- 5/8"h	\$264.48	\$132.24	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
Standard Items		HON	Limited Lifetime ¹	HNSH60 Initiate Series, Open Shelf with Square Ends, Material: Metal, Color: Putty	60"w x 14-3/8"d x 5- 5/8"h	\$323.64	\$161.82	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
Stand		HON	Limited Lifetime ¹	HNSOHN30HMA Initiate Series, Steel Hinged Overheads with Arch Pull, Material: Metal, Color: Putty	30"w x 15"d x 15"h	\$692.52	\$346.26	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
		HON	Limited Lifetime ¹	HNSOHN36HMA Initiate Series, Steel Hinged Overheads with Arch Pull, Material: Metal, Color: Putty	36"w x 15"d x 15"h	\$718.04	\$359.02	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
	HNSOHN30HMA, HNSOHN36HMA, HNSOHN42 cabinet lighting. Keyed alike cores must be orde	-	18HMA Tecl	nnical Specification: Includes a factory installed co	re removable lock located	on the unde	erside of the	cabinet. Accepts under

Image: State Processing St		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
State HNSCHNA8HMA Initiate Series, Steel Hinged A8" w x 15" d x 15"h S767.92 S38.96 No assembly required. HNSCHNA8HMA, HNSCHNA8HMA, HNSCHNA8HMA, HNSCHNA8HMA Initiate Series, Steel Hinged A8" w x 15" d x 15"h S767.92 S38.96 equal to 18" norrower than the cabinet. Tasklight. lock core kit and key are available (see page 7 for HON Accessories). HNSCHN30HMA, HNSCHN36HMA, HNSCHN48HMA, HNSCHN48HMA Technical Specification: Includes a factory installed core removable lock located on the underside of the cabinet. Accepts under HON Accessories). No assembly required. HNSCHN30HMA, HNSCHN36HMA, HNSCHN48HMA, HNSCHN48HMA Technical Specification: Includes a factory installed core removable lock located on the underside of the cabinet. Accepts under HoN Accessories). No assembly required. HNSCHN30HMA, HNSCHN36HMA, HNSCHN42HMA, HNSCHN48HMA Technical Specification: Includes a factory installed core removable lock located on the underside of the cabinet. Accepts under HoN Accessories). No assembly required. HON Limited Limited HNSSHN30 Initiate Series, Open Storage Cabinet, Material: Metal, Color: Putty 30" w x 15" d x 15"h S631.04 S315.52 No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories). HON Limited Limited HNSSHN36 Initiate Series, Open Storage Cabinet, Material: Metal, Color: Putty 36" w x 15" d x 15"h S656		HON		Overheads with Arch Pull, Material: Metal,	42"w x 15"d x 15"h	\$742.40	\$371.20	Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for
Image: Second control of the cabinet of the cabine		HMA, HNSOHN4	Lifetime ¹	Overheads with Arch Pull, Material: Metal, Color: Putty				No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Tasklight, lock core kit and key are available (see page 7 for HON Accessories).
HON Limited HNSSHN36 Initiate Series, Open Storage 36"w x 15"d x 15"h \$656.56 \$328.28 Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for	BIEMA C			· · · ·	30"w x 15"d x 15"h	\$631.04	\$315.52	Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for
HNSSHN30, HNSSHN36, HNSSHN42, HNSSHN48 Technical Specification: Accepts task lights.			Lifetime ¹	Cabinet, Material: Metal, Color: Putty	36"w x 15"d x 15"h	\$656.56	\$328.28	Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for

		Manufacturer	Warranty	Item Description	Dimension	List Price	USF Price	Install Notes
		HON	Limited Lifetime ¹	HNSSHN42 Initiate Series, Open Storage Cabinet, Material: Metal, Color: Putty	42"w x 15"d x 15"h	\$680.92	\$340.46	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
Items		HON	Limited Lifetime ¹	HNSSHN48 Initiate Series, Open Storage Cabinet, Material: Metal, Color: Putty	48"w x 15"d x 15"h	\$706.44	\$353.22	No assembly required. Hardware included. To be mounted on a panel of the same width or up to or equal to 18" narrower than the cabinet. Accepts tasklights (see page 7 for HON Accessories).
σ	HNSSHN30, HNSSHN36, HNSSHN42, HNSSHN48	B Technical Spec	ification: Ac	cepts task lights.				
	HON Accessories				ſ			
Standa	BIEMA 22 ista	HON	12 years	HH870930 Task Light	22-7/8"w x 4-7/8"d x 1- 1/8"h	\$209.96	\$104.98	To be used with 30"w and 36"w Overhead Storage Cabinets.
Sta		HON	12 years	HH870942 Task Light	34-5/8"w x 4-7/8"d x 1- 1/8"h	\$227.36	\$113.68	To be used with 42"w and 48"w Overhead Storage Cabinets.
		HON	12 years	HH870960 Task Light	46-1/2"w x 4-7/8"d x 1- 1/8"h	\$244.76	\$122.38	To be used with 60"w Overhead Storage Cabinets.
	HH870930, HH870942, HH870960 Technical Specification: Case color is black. Slim profile design mounts recessed under storage unit and shelves with spring steel clips. Includes T5 bulb, which contains less mercury than other types of bulbs. 9-foot black cord and switch off right rear corner. Electronic ballast for increased energy efficiency.							
	HON Accessories - Removable Lock Core Kit	HON		HF23C Removable Lock Core Kit (Includes 1- core, 2-keys, 1-core removal tool and instructions)	- -	\$32.48	\$16.24	Specify quantity of each key number from 101E-225E.
	HON Accessories - Key	HON		HF22 Key	-	\$18.56	\$9.28	Specify quantity of each key number from 101E-225E.